

## Message

**From:** Nordine, John [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=6F082FB004BA4D818FE3276686C84C63-JNORDINE]  
**Sent:** 3/26/2013 2:57:10 PM  
**To:** Jack Thorsen [jack@autumnwoodesh.com]  
**CC:** Robert Kay [rtkay@usgs.gov]; Gerald Ruopp [gruopp@centralwire.com]  
**Subject:** RE: Groundwater Potentiometric Map Downgradient from Central Wire

Mr. Thorsen and Mr. Ruopp;

Bob and I are available on March 28, 2013, at 10:00 am for the phone conference call. Bob Kay's phone number is 815-756-9207 and mine is 312-353-1243.

Respectfully,

John Nordine, CPG, LPG  
 U.S. EPA, Region 5  
 RCRA Corrective Action Section  
 77 W. Jackson Blvd. LU-9J  
 Chicago, Illinois 60604

Phone: 312-353-1243  
 Fax: 312-385-5338

"The great end of education is to discipline rather than finish the mind; to train it to use of its own powers rather than to fill it with the accumulation of others." Tryon Edwards  
 "Don't interfere with anything in the Constitution. That must be maintained, for it is the only safeguard of our liberties" Abraham Lincoln

---

**From:** Jack Thorsen [mailto:jack@autumnwoodesh.com]  
**Sent:** Monday, March 25, 2013 5:21 PM  
**To:** Nordine, John  
**Cc:** Robert Kay; Gerald Ruopp  
**Subject:** FW: Groundwater Potentiometric Map Downgradient from Central Wire

John:

How does 10 am on Thursday 3/28 sound for you and Bob?

It sounds like Gerry can originate, so we would need phone numbers for you and Bob for that time.

Regards,

Jack

*John W. Thorsen, P.E.  
 Autumnwood ESH Consultants  
 262.237.1130*

---

**From:** G. Ruopp [<mailto:gruopp@centralwire.com>]  
**Sent:** Monday, March 25, 2013 3:12 PM  
**To:** [jack@autumnwoodesh.com](mailto:jack@autumnwoodesh.com)  
**Subject:** RE: Groundwater Potentiometric Map Downgradient from Central Wire

Hi Jack --

Let's try for 10am on Thursday. With our new phone system, I am told that I can conference in both parties. I will call you first (cell number?) then conf in John Nordine and Bob Kay.

Gerry

---

**From:** Jack Thorsen [<mailto:jack@autumnwoodesh.com>]  
**Sent:** Friday, March 22, 2013 3:32 PM  
**To:** Gerald Ruopp  
**Subject:** FW: Groundwater Potentiometric Map Downgradient from Central Wire

Gerry:

I will be visiting family in CA next week. However, I will be travelling on Tuesday and have a 1-1/2 hour drive so 11 am on Tuesday would work and I can be available any time on Thursday.

Regards,

Jack

*John W. Thorsen, P.E.  
Autumnwood ESH Consultants  
262.237.1130*

---

**From:** Nordine, John [<mailto:nordine.john@epa.gov>]  
**Sent:** Friday, March 22, 2013 11:50 AM  
**To:** Jack Thorsen  
**Cc:** Bob Kay  
**Subject:** RE: Groundwater Potentiometric Map Downgradient from Central Wire

Mr. Thorsen;

Bob and I are available on Tuesdays and Thursdays after 10:00 am, for the next couple of weeks. Please send a conference call number and code with the day and time.

Respectfully,

John Nordine, CPG, LPG  
U.S. EPA, Region 5  
RCRA Corrective Action Section  
77 W. Jackson Blvd. LU-9J  
Chicago, Illinois 60604

Phone: 312-353-1243  
Fax: 312-385-5338

"The great end of education is to discipline rather than finish the mind; to train it to use of its own powers rather than to fill it with the accumulation of others." Tryon Edwards

"Don't interfere with anything in the Constitution. That must be maintained, for it is the only safeguard of our liberties" Abraham Lincoln

---

**From:** Jack Thorsen [<mailto:jack@autumnwoodesh.com>]

**Sent:** Friday, March 22, 2013 9:02 AM

**To:** Nordine, John

**Cc:** Gerald Ruopp; Bob Johnson; Robert Kay

**Subject:** Groundwater Potentiometric Map Downgradient from Central Wire

John:

Three things:

Attached is the groundwater potentiometric map without specifics at DGW-1 because the surveying information from its installation is not available.

In light of your most recent comment letter, Central Wire and Autumnwood Consultants would like to discuss this with you in a conference call to come to some final understanding of what you need. Please let me know two or three good times for you to do discuss your comment letter.

Central Wire has now been "banned" on using the Techalloy moniker. How do we change all of the EPA documents and records to reflect the entity as Central Wire?

A fourth item of information. Central Sod has decided to abandon its sod farming activities. Their office trailer is no longer there and The Manager has been moved down to Kankakee. That means the irrigation well on Route 176 will no longer be used, at least not in the foreseeable future. The Kunde Rd. well will still be used for their golf course turf grass operation, but that well is about 3,250 ft (per Google Earth) from the leading edge of the plume so I do not believe there is any way that this irrigation well that occasionally pumps about 250 gallons a minute will influence a plume that far away.

Please let me know your availability and we will schedule a call.

Regards,

Jack

*John W. Thorsen, P.E.  
Autumnwood ESH Consultants  
262.237.1130*